

## **DENTURE CREAM LINKED TO ZINC POISONING**

- **EARLY TESTING IS VITAL TO TREATING ZINC POISONING:** More than 35 million Americans use denture creams, such as Poligrip and Fixodent, to keep their dentures in place. The Food & Drug Administration (FDA) has not required the manufacturers of these products to warn users of the danger of zinc poisoning. As a result, many people suffering from neuropathy and other neurological problems are unaware that their symptoms are the result of poisonous zinc denture creams. Denture cream neuropathy can leave patients permanently disabled. That's why early detection of denture cream zinc poisoning is so important.
- **MEDICAL TESTING FOR ZINC POISONING:** **If you or a loved one suspect zinc poisoning from the use of denture cream, it is essential that you have your blood tested for zinc and copper before and after you stop using denture cream.** The following medical tests may be used by a physician to determine if your denture cream has exposed you to zinc poisoning:
  - Zinc RBC
  - Copper RBC
  - Spot urine test for Zinc and Copper
  - Blood test for ceruloplasmin
- **ABOUT THE LAW OFFICES OF SHINER & SOSIN, P.A.:** At Shiner & Sosin, P.A., we are committed to providing superior service while achieving the best possible results for our clients. We have the legal expertise and financial resources to handle our clients' cases, and our experience and dedication in representing victims has earned us an outstanding reputation in the community. Our office takes pride in representing our clients. We are devoted to protecting your rights and we make it our responsibility to ensure your rights are upheld.

**IF YOU OR A LOVED ONE USE DENTURES, CONTACT  
SHINER & SOSIN, P.A., TO ENSURE THAT YOUR  
RIGHTS ARE PROTECTED**

**For a free consultation, call: 561-362-4106**